

### HER MAJESTY RANGE.

For Hard or Soft Coal, or Wood.

Entirely modern. A pattern of rare beauty and elegance. Strictly first-class in every respect.

Four Sizes, both Square Top and with Reservoir.

High Shelf and High Closet shown on pages 14 and 15 respectively, fit all sizes. When shipped without High Shelf or High Closet we in clude Collar Brackets and Tea Pot Shelves, as shown on page 16.

#### SPECIAL FEATURES.

### Has Full Nickel-Plated Top Edge Bands, not shown in Illustration

Extra Heavy Covers and Supported Centers
Swing Feed Door with Draft Slide.
Elaborate Nickel and Tile Ornamentation.
Nickeled Outside Oven Shelf.
Nickeled Reservoir Top.
Drop Hearth Slide.
Removable Plate at side for Natural Gas Attachment.
Heavy Duplex Grate.
Foot Opening Device for Oven Door.
Large, Finely Ornamented Base.
Tin Lined Oven Door.
Heavy Genuine Copper Reservoir.

#### DIMENSIONS.

	8=18.	8=20.	9-20.	0=22.
Oven	18x19 in.	20x21 in.	20X21 in.	22X23 in.
Height of Oven	11½ in.	12½ in.	12½ in.	13 in.
Width of Oven Rack		18¼ in.	18¼ in.	20¼ in.
Weight, Square Top	391 lbs.	426 lbs.	426 lbs.	461 lbs.
" with Reservoir	r 451 lbs.	491 lbs.	491 lbs.	531 lbs.
" High Closet	130 lbs.	130 lbs.	130 lbs.	130 lbs.
" Shelf	45 lbs.	45 lbs.	45 lbs.	45 lbs.

## HER MAJESTY.

For Hard or Soft Coal, or Wood.



The Finest in the Land. For General Description see Page 13

		and the state of t					
			No. 8-18.	No. 8-20.	No. 9-20.	No. 9-22.	
List		with Reservoir		\$49.25	\$49.25	\$53.50	
66	66	High Closet	. 12.00	12.00	12.00	12.00	
66	66	High Shelf	5.25	5.25	5.25	5.25	
66	66	Water Front	. 6.00	6.00	6.00	6.00	
£5	66	Brass Couplings	1.50	1.50	1.50	1.50	

Guaranteed in Every Particular.

## HER MAJESTY.

For Hard or Soft Coal or Wood.



The Finest in the Land. For General Description see page 13

									No. 9	
List P	rice	with Reservoir	\$45	00	\$49	25	\$49	25	\$53	50
66						00		00	12	
66	6.	High Shelf	5	25	5	25	5	25	5	25
46	66	Water Front	6	00	6	00	6	00	6	00
	46	Brass Couplings	Į.	50	I	50	1	50	1	50

Guaranteed in Every Particular.

## HER MAJESTY.

For Hard or Soft Coal or Wood.



For General Description see page 13

List !	Price	, Square Top	8-18 \$37.50	8-20 \$41.75	9-20 \$41.75	9-22.
66	66		12.00	12.00	12.00	12.00
44	44	" Shelf		5.25	5.25	5.25
66	66	Water Fronts		6.00	6.00	6.00
46	46	Brass Couplings	1.50	1.50	1.50	1.50

Guaranteed in Every Particular.

#### ARTISAN.

Five-Hole Range for Coal or Wood.

An entirely new Range, Attractive, Neat, Low Priced and made in all Desirable Sizes.

#### SPECIAL FEATURES.

Long Front End Feed Door with Draft Slide. Large Front End Door with Draft Slide. Detachable Front End Hearth. Large Fire Box Brick-Lined. No. 7, No. 80 and No. 8 have Duplex Grates. Back End Shelf with Square Range. Wide Burnished Edges. Tin-Lined Oven Door. Nickel and Tile Trimmings. Outside Oven Shelf Flush with Oven Bottom. Copper or Enameled Reservoir with Extension Range. Handsome Fancy Base. Flat Grates, also Iron Linings furnished if preferred and specified.

# Four Sizes—Square Top. One Size—Extension Top.

No. 6.	No. 70.	No. 7.	No. 80.	No. 8.
Oven 13x14 in.	13x14 in.	15x16 in.	15x16in.	17x18 in
Weight Square Top 170 lbs.	175 lbs.	200 lbs.	205 lbs.	240 lbs.
Weight Extension Top	•••••			300 "
Weight High Shelf 45 lbs.	45 lbs.	45 lbs.	45 lbs.	45 lbs.
Length of Wood 12 in.	12 in.	14 in.	14 in.	18 in.
List Price, Square Top. \$14.00	\$14.50	\$18.00	\$18.50	\$22.00
" with Reservoir				28.00
" " High Shelf			•••••	5.25

ARTISAN.
Five-Hole Range for Coal or Wood.



Five Sizes—Nos. 6, 70, 7, 80, and 8, Square Tops.
No. 8, Extension Top with Reservoir.

Operation Guaranteed.

### ARTISAN.

Five-Hole Range for Coal or Wood.



Five Sizes—Nos. 6, 7, 70, 80 and 8, Square Tops. No. 8 Extension Top with Reservoir. For General Description see Page 37.

Operation Guaranteed.

### PEARL.

For Coal or Wood.



Five Sizes, Nos. 7-14, 7-16, 8, 88 and 9, Square Top.

				No. 88.	
Oven					
Height of Oven	9 "	10 "	10 "	II "	II "
Weight, Square Top	. 180 lbs.	220 lbs.	220 lbs.	261 lbs.	261 lbs.

List Price, Square Top..... \$13.00 \$19.00 \$19.00 \$22.50 \$22.50

Front Feed. Handsome design, and every convenience. Has Tin-lined Oven Doors, ornamented with large Nickel Panels with Tile Center. Outside Oven Shelf on Nos. 83 and 9. Boston Ring Covers. Ribbed Centers. Long Center, supported and bolted to top. Heavy Linings. Shaking and Dumping Grate. Mica Front Door. Swing Hearth, flush with main Hearth. Deep Ash Pit, accommodates a large, roomy Ash Pan. Nickel Plated Towel Rod, and Nickel Plated Knobs throughout. Large Back Shelf. Foot Opening Device for Oven Door.

### PEARL.

For Coal or Wood.



Four Sizes, Nos, 7-16, 8, 88 and 9. With Reservoir.

	7-16.	No. 8.	No. 88.	No. 9.
Oven	16x17 in.	16x17 in.	18x19 in.	18x19 in.
Height of Oven	10 "	10 "	II "	II "
Weight, with Reservoir	275 lbs.	275 lbs.	317 lbs.	3171bs.
List Price, with Reservoir	\$28.00	\$28.00	\$31.50	\$31.50

Front Feed. Handsome design and every convenience. Has Tin-lined Oven Doors, ornamented with large Nickel Panels with Tile Center. Foot Opening Device for Oven Door. Outside Oven Shelf on Nos. 83 and 9. Boston Ring Covers. Ribbed Centers. Long Center, supported and bolted to top. Heavy Linings. Shaking and Dumping Grate. Mica Front Door. Swing Hearth, flush with main Hearth. Deep Ash Pit, accommodates a large, roomy Ash Pan. Nickel Plated Towel Rod, and Nickel Plated Knobs throughout. Encased, Lift-out, Enameled Iron Reservoir, with convenient Warming Shelf below.

## GRANGER.

For Wood.



Four Sizes. Nos. 77, 8, 88 and 9. Square Top.

Oven	No. 77.	No. 8.	No. 88.	No. 9.
Height of Oven	II "	II "	12 "	12 "
Length of Wood	23 " 225 lbs.	23 " 225 lbs.	25 " 255 lbs.	25 " 255 lbs.
List Price, Square Top	\$16.00	\$16.00	\$19.50	\$19.50

Modern design and well constructed. Has Mica Front Door, with Draft Slide. Flush Swing Hearth. Front Swing Fire Guard. Extra loose Fire Bottom. Boston Ring Covers and Supported Centers. Convenient Top Shelf at side of Stove. Tin-lined Oven Doors, with large Nickel Panels and Tile Center. Towel Rod and Nickel Plated Knobs throughout. Outside Oven Shelf, with Foot Opening Device for Oven Door.

Operation Guaranteed.

#### GRANGER.

For Wood.



Four Sizes. Nos. 77, 8, 88 and 9. Extension Top, with Reservoir.

No.	77.	No. 8.	No. 88.	No. 9.
Oven	17X17 in.	. 17x17 in.	19x19 in.	19x19 in.
Height of Oven	II "	II "	I2 "	I2 "
Length of Wood	23 "	23 "	25 "	25 "
Weight, Extension Top	280 lbs.	280 lbs.	315 lbs.	315 lbs.
List Price, Extension Top	\$24.50	\$24.50	\$28.50	\$28.50

Modern design and well constructed. Has Mica Front Door, with Draft Slide. Flush Swing Hearth. Front Swing Fire Guard. Extra loose Fire Bottom. Boston Ring Covers and Supported Centers. Convenient Top Shelf at side of Stove. Tinlined Oven Doors, with large Nickel Panels and Tile Center. Towel Rod and Nickel Plated Knobs throughout. Outside Oven Shelf with Foot Opening Device for Oven Door. Extension Tops have the genuine Copper, or Cast Iron Enameled Reservoir, as preferred. The Enameled Reservoir will be sent, unless otherwise specified in order.

Operation Guaranteed.

### WINONA.

For Wood.



Three Sizes, Nos. 7, 8 and 9. Square Top.

Oven		No. 8.	_
Height of Oven			
Length of Wood			27 "
Weight, Square Top	200 lbs.	240 lbs.	275 lbs.
List Price, Square Top	\$14.50	\$20.00	\$23.50

Has descending Fire Bottom or Hearth. Supported Centers. Burnished Edges. Swing Hearth, flush with Main Hearth. Tin-lined Oven Doors. Outside Oven Shelf with Foot Opening Device for Oven Door. Nickel-plated Trimmings, including Nickel-plated Ornaments, with Tile Center on Oven Doors. Swinging Front Grate. Ash Catch under Fire Door. Combines all modern improvements with neat design, correct proportion, and perfect operation.

### WINONA.

For Wood.



Three Sizes-Nos. 7, 8 and o. Extension Top with Reservoir-

Over1	No. 7. 8x18 in	No. 8. 20x20 in.	No. 9. 22x22 in
Height of Oven	II "	12 "	13 4
Length of Wood		25 " 340 lbs.	27 " 375 lbs.
Weight, Extension Top	305 105.	•	0.0
List Price, Extension Top	\$23.50	\$29.00	\$33.00

Has Descending Fire Bottom or Hearth. Supported Centers. Burnished Edges. Swing Hearth, flush with Main Hearth. Tin-lined Oven Doors. Outside Oven Shelf with Foot Opening Device for Oven Door. Nickel Plated Trimmings, including Nickel Plated Ornaments, with Tile Center on Oven Doors. Swinging Front Grate. Ash Catch under Fire Door. Combines all modern improvements, with neat design, correct proportion, and perfect operation. The Stoves with Extension Top have the Portabie, Low, Iron-clad, Enameled Reservoir, and Cast Iron Warming Oven, all of the latest and most approved pattern.

### LOWER WINONA.

For Wood.



Three Sizes, Nos. 7, 8 and 9, Square Top.

Oven		No. 8. 18x18 in.	No. 9. 20x20 in.
Height of Oven	10 "	II "	12 "
Length of Wood	21 "	23 "	25 "
Weight, Square Top	175 lbs.	200 lbs.	240 lbs.
List Price, Square Top	\$11.00	\$15.50	\$20.00

Has descending Fire Bottom or Hearth. Supported Centers. Burnished Edges. Swing Hearth flush with main Hearth. Tin-lined Oven Doors, with large Nickel Panel and Tile Center. Outside Oven Shelf with Foot Opening Device for Over Door. Doors Pin Mounted. Swinging Front Grate. Ash Catch under Fire Door Neat design, correct proportion and perfect operation.

Fully Guaranteed.

### LOWER WINONA.

For Wood.



Two Sizes. Nos. 8 and 9 Extension Top, with Reservoir

Oven		No. 9. 20x20 iu.
Height of Oven	II "	12 "
Length of Wood	23 "	25 "
Weight, Extension Top	305 lbs.	340 lbs.
List Price, Extension Top	\$24.00	\$29.00

Has descending Fire Bottom or Hearth. Supported Centers. Burnished Edges Swing Hearth flush with main Hearth. Tin-lined Oven Doors, with large Nickel Panel and Tile Center. Outside Oven Shelf, with Foot Opening device for Oven Door, Swinging Front Grate. Ash Catch under Fire Door. Neat design, correct proportion and perfect operation. The Stoves with Exteusion Tops have the portable, low, Iron-clad, Enamel Iron Reservoir, and Cast Iron Warming Oven, all of the latest and improved pattern.

Operation Guaranteed.

### CORLISS.

#### Square Base Burner, for Hard Coal or Coke.

	No. 32.	No. 36.	No. 40.
Diameter of Fire Pot	11 in.	15 in.	16 in.
Height, (over all)	5 ft. 2 "	5 ft. 5 in.	5 ft. 8 in.
Weight	340 lbs.	400 lbs.	460 lbs.
List Price	\$53.00	\$59.00	\$70.00.

Entirely new, strictly first-class, up-to-date, base heating, hot air circulating and ventilating base burner, embracing every advantage known to modern stove construction.

All parts, including fire pot, grates, etc., are extra heavy and durable.

Movable nickel plated sections can be quickly and conveniently put in place. Upper nickel section entirely separate, and can be taken off or put on at pleasure, and no bolts to be removed. The main body of the stove can be easily separated in the center and handled in sections. The fire pot, which is large and heavy, is supplied with the duplex grate—the Ransom's Improvement.

This stove is a perfect ventilator and circulator, being supplied with hot air flues in the rear, extending from the bottom to the top. Also air is supplied through the openings in the nickel top section, giving abundant capacity for heating upper rooms when desired. Flues are large, provided with clean-out door in front.

Perfect in every detail, and stands at the head of the base burner class.


## CORLISS.

Square Base Burner, For Hard Coal or Coke.



Three Sizes, Nos. 32, 36, 40.

#### BALDWIN'S PATENT



FOR HARD COAL, SOFT COAL, COKE OR FOR LIGNITE



(DAROIA COAL.)

#### DESCRIPTION, SHOWING PLAN OF CONSTRUCTION.

The external, and a portion of the internal appearance of the stove is shown by the annexed illustrations. It will be understood that the stove is placed upon a highly ornamental, carved Nickel Plated base. The main bottom of the stove is provided with openings around and near the outside, but inside of the ornamental case; also with openings connected with air ducts in the center. All of these openings receive air from beneath the stove and pass the same up and around between the ornamental casing and the interior parts of the stove; said air after becoming heated is passed out into the room through the openings in the ornamental casing at different heights, and at the top.

The ash base is double; otherwise is provided with a partition through the center, said partition containing the center air ducts before mentioned.

The ash base has two entirely separate doors, each provided with air tight draft openings, which are opened and closed by a quick operating screw motion. Each of the ash base doors is provided with an air tight shaker door, which can be opened separately for the purpose of operating the grate while the ash doors are closed. Each compartment of the ash base is supplied with a separate ash pan of liberal dimensions.

At the top of the ash base there are two entirely distinct duplex grates—one over each ash pan. The main fire pot above the ash pans is of an oval round form, but not divided, and is provided with the two distinct duplex grates before mentioned.

The style, symmetry and the ornamentation, as shown by the illustrations, conform with the highest state of the art. The carvings and scroll work are of the most modern design and unequalled.

The front portion of the main top is nickel plated, as are also the two front ornamental plates, together with highly ornamental nickel plated urn, foot rests, turn-buckles, draft handles, etc.

The entire BASE is NICKEL PLATED.

The operating portions of the stove are entirely separate and distinct from the external ornamental casings which surround the same. All fittings are air tight, thus giving entire control of the operation of the stove at all times, and enabling fire to be retained for ANY DESIRED PERIOD OF TIME.

This stove is designed for the use of HARD COAL, SOFT COAL, COKE or LIGNITE, either of which can be used with ENTIRE SATISFACTION.

#### DOUBLE HEATING.

As a DOUBLE HEATER, THE CIRCULATOR is unequalled. The ornamental swing top can be removed. An open work cover, located in the main top under the swing top, is arranged with a collar for receiving a double heater pipe.

TO ARRANGE AS A DOUBLE HEATER, remove the ornamental swing top and reverse the main top cover so the pipe collar or flange will be uppermost, and it is ready to receive a double heater pipe 6 inches in size.

The arrangement of the stove is such that air taken from beneath the stove and passed upwards between the main heating portions of the stove and the outside casing, and thence direct to the double heater pipe, affords a very powerful heat, to be carried into the room above or adjoining, and this without obstructing in any manner the direct radiation.

#### SPECIAL NOTICE.

This stove has two distinct draft outlets, one of which is grated and is always open. The other is supplied with a damper, which always should be open in starting a fire, or when a free combustion is desired.

To check the fire or to retain fire over night, close this damper. Also open screw draft to the upper front doors if found necessary.



ONE SIZE. No. 22.

Height over all, 60 inches.	Weight, 410 lbs.
External frontage at top of ash base	22 in.
Internal size of main oval fire chamber	14x17.
External width at top of ash base	19 in.
List Price, \$46.00.	

### GRIP LAUNDRY,

For Coal or Coke.



ONE SIZE-No. 8.

Arranged for 6, 7 or 8-inch covers as desired. When not otherwise specified we ship with 8-inch covers and back shelf.

Also made with "Drum Oven" attachment when desired. (See page 161).

Height	24½ in.
Top dimensions	21x13 in.
Weight, with back shelf	97 lbs.
Weight, less back shelf	97 lbs.
List price, with back shelf	\$8.75
List price, less back shelf.	. 8.25

An exceptionally neat two-hole laundry stove, with sad-iron holding attachments. Entirely new, modern, up-to-date pattern. Pouch feed cover can be opened for fueling stove without removing boiler or any other large vessel that may be in use. A deflector in front of pipe hole prevents heat from going directly up the chimney, greatly adding to efficiency of stove. All parts coming in contact with fire are made especially durable.

## CYCLE OAK.



Two Sizes.	No. 13.	No. 14.
Height	54 in.	56 in.
Weight	95 1bs.	120 lbs.
Diameter of Drum	12 in.	14 in.
List Price	\$11.50	\$14.00

Entirely new stove, of the Oak pattern, mounted with Sheet Steel and tastefully ornamented with Nickel Spun Urn, Knobs and Foot Rails, Shaking Grate with draw center. Large Ash Pan, and withal an Oak Stove that is perfect in every detail of construction and operation.

### BELL.

All kinds Coal, and Coke.



Four Sizes.  Height over all  Diameter at Feed Door  Weight	No. 18. 38 in. 16 " 155 lbs.	No. 21. 43 in. 18½ " 210 lbs.	No. 24. 48 in. 21 " 280 lbs.	53 in. 24 " 380 lbs.
List Price	\$13.25 1.00	\$17.75	\$25.00 1.50	\$34.00 2.00

Burnished Edges, Nickel Plated Knobs, etc. Deep Ash Pit, Large Ash Pan. Substantial, durable and very heavy. Heating capacity unlimited. All sizes are arranged for attaching Drum. Division Plate can be placed in Drum, and cause heat to ascend in front, and down the rear to outlet. The No. 27 is a Mammoth Stove, especially designed for churches, school halls, etc. Reservoir or boiler for heating, can be conveniently attached to top of Stove.

## NEW JUDGE.

For Wood or Coal.



Two Sizes, Nos. 23 and 25. Sizes indicate length of Wood in inches.

No. 23. No. 25.

Height over all.. 51 in. 54 in. Weight, for Wood, 275 lbs. 320lbs.

Body of Stove...23½x15 " 25½x16 " List Price, for Coal,\$30.50 \$34.75

Weight, for Coal 295 lbs. 340 lbs. " " Wood, 27.25 31.50

Pattern of rare beauty. Perfectly clean in its operation, and makes an elegant showing. Revertible Flue Base Heater arranged for either coal or wood. Linings extra heavy and interchangeable. Has large roomy Ash Pan. Revertible Flue Damper, working automatically, operated by the end Feed Door, which prevents the escape of smoke into the room. With richly Ornamented, large Spun Urn. Ventilated Swing Top. Upper Mica Front Door. Loose Main Top under Swing Top to supply large fuel. Elaborately Ornamented throughout, with Nickel Top Ring two Front Panels, Side Rails, Base, and large Urn Seat. No. 23 has one eight-incl Cover, and No. 25 one nine-inch Cover.

### OAK LEAF.

For Wood or Coal.



Three Sizes, Nos. 21, 23 and 25.

Height over all	No. 21. 41½ in.	No. 23.	No. 25 47½ 111
Length of Wood	2I " 135 lbs. 110 "	23 " 145 lbs. 120 "	25 i. 175 lbs
List Price, for Coal	\$14.00 12.00	\$15.75 13.50	\$18.25 15.75

New Form of Swing Fender, so related to lower Mica Front Door as to constitute at once a Fender, Spark Arrester, and Underblast Plate. Capacious Ash Pit, extending well to the front, very convenient in removing ashes. Full Nicke Trimmed, including Spun Urn, Name Plate and Handsome Foot Rail. Convenient Shelf Attachment at back. Large End Feed Door, with self-mounting Ash Catch beneath. Upper Front Door for supplying Coal, when Stove is arranged for that fuel. Griddle Holes and Portable Center under Swing Top. An excellent Heater and certain to be popular.

### SILVER OAK.

For Hard or Soft Coal, Coke or Wood.



The second secon	Tirely have been provided in	SHORT SHOULD BE	
Three Sizes-Steel Body.	No. 28.	No. 33.	No. 40.
Height over all	57 in.	61 in.	63 in.
Diameter of Drum	TA 66	161/2 "	20 "
Weight, with Sheet Steel Body	181 lbs.	217 lbs.	250 lbs.
" all Cast Iron Body	200 "	242 "	285 "
List Price	C.2 2=	\$23.00	\$27.75
Basket Magazine for self-feeding)			
soft coal	3.50	3.75	4.25

Mounted with Sheet Steel, or Ornamented Cast Iron Body. Square Base. Attractive proportion. Tastefully ornamented with Nickel Plated Spun Urn, Top Ring, Center Ring and Foot Rails. Nickel Plated Knobs throughout. Swing Top, with Griddle Hole below on Main Top. Feed door in Two Sections, Mica in Typer Section. Mounted at Side or in Front, as preferred. Opens full capacity of Drum Section for supplying large fuel. Heavy, durable Fire Pot. Shaking Grate, with Center Draw Grate operated by the Shaker. Deep Ash Pit, with ample Asb Pan. Large handsome Base and Legs.



Mounted with Sheet Steel, or Ornamented Cast Iron Body. Square Base. Attractive proportion. Tastefully ornamented with Nickel Plated Spun Urn, Top Ring, Center Ring and Foot Rails. Nickel Plated Knobs throughout. Swing Top, with Griddle Hole below on Main Top. Feed Door in two sections, Mica in upper section. Mounted at side or in front, as preferred. Opens full capacity of Drum Section for supplying large fuel. Heavy, durable Fire Pot. Shaking Grate, with Center Draw Gate operated by the Shaker. Deep Ash Pit, with ample Ash Pan. Large handsome Base and Legs.

### WAMPUM.

For Wood.




Five Sizes, Nos. 16, 20, 25, 31 and 38.


No. 16.	No. 20.	No. 25.	No. 31.	No. 38.
Weight45 lbs.	70 lbs.	105 lbs.	160 lbs.	240 lbs.
List Price\$3.50	\$5.10	\$6.75	\$10.25	\$16.25


First-class Box Stove. Firm, durable and substantial. Nos. 16 and 20 have Single Covers. Nos. 25, 31 and 38 have two Covers and Cross Center. No. 38 has Side Plate in four sections.

### ELLWOOD GAS HEATERS.

Manufactured on True Principles.









## Digitized by



ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

Alan O'Bright